

2001 *MP* Index

A Guide to *MP* Volume 40 2001 Subject Index

This is an alphabetical list of primary topics included in Volume 40 of *MP*. Subject classifications are followed by issue number, then page number. An alphabetized list of authors appears on p. 77.

ACIDS

- Development and Testing of an Improved Pickling Inhibitor Formulation for Hot 20% Sulfuric Acid, 5-42
- Behavior of Hot-Dip 55% Al-Zn Alloy Coating in Salt Water Containing Hydrogen Sulfide, 5-32

ANODES

See also CATHODIC PROTECTION

- Anodic Protection—Its Operation and Applications, 5-22
- Cathodic Protection Design for 1,900 Miles (3,050 km) of High-Pressure Natural Gas Pipeline, 8-28
- Cathodic Protection Monitoring of Subsea Pipelines in the Arctic Ocean, 4-20
- Cathodic Protection of a Biotreatment Tankage Facility, 2-26
- Cathodic Protection of Steel-Reinforced Concrete Structures—Results from 15 Years' Experience, 12-22
- CP for Corroding Reinforcement in Concrete Floor Elements, 1-22
- Determining CP Current Requirements for Domestic Water Heaters Using Electrochemical Techniques, 3-24
- Use of Solar Magnesium Anodes in High-Resistivity Soil, 4-26

BACTERIA

See MICROBIAL ATTACK

BOILERS

- Corrosion Control During Boiler Chemical Cleanings, 1-52
- Failure Avoidance: Erosion-Corrosion of Evaporator Coils in a Fluidized Bed Boiler, 11-42

CATHODIC AND ANODIC PROTECTION

See also ANODES

- AC Grounding of Cathodically Protected Structures Using Solid-State Decoupling Devices, 2-20
- AC Mitigation Using Shield Wires and Solid-State Decoupling Devices, 8-24
- Anodic Protection—Its Operation and Applications, 5-22
- Buried Permanent Reference Cell Performance Testing—An Engineered Approach to Evaluation, 3-28
- Cathodic Protection Design for 1,900 Miles

(3,050 km) of High-Pressure Natural Gas Pipeline, 8-28

- Cathodic Protection: Looking Back and Moving Forward, 8-18
- Cathodic Protection Monitoring of Subsea Pipelines in the Arctic Ocean, 4-20
- Cathodic Protection of a Biotreatment Tankage Facility, 2-26
- Cathodic Protection of Complex Underground Structures at Power Plants, 11-20
- Cathodic Protection of Steel-Reinforced Concrete Structures—Results from 15 Years' Experience, 12-22
- Cathodic Protection Program of the Aurora, Colorado, Water Division, 7-28
- Corrosion of Ductile Iron Pipe: Case Histories, 7-22
- CP for Corroding Reinforcement in Concrete Floor Elements, 1-22
- Determining CP Current Requirements for Domestic Water Heaters Using Electrochemical Techniques, 3-24
- Electrical Grounding and Cathodic Protection Issues in Large Generating Stations, 11-17
- Embedded Track Rail Boot Electrical Isolation for DC-Powered Rail Transit Systems, 6-18
- Empty Lot Transformed into Hands-On Training Facility, 4-16
- Ensuring Corrosion Control Integrity After 30 Years, 8-34
- Failure Avoidance: Failure of Shoreline Tower Guy Anchor Rods, 10-24
- Measuring Unwanted Alternating Current in Pipe, 1-26
- Practical Telluric Compensation for Pipeline Close-Interval Surveys, 9-22
- The Impact of Lightning on Rectifier Remote Monitoring Systems, 6-22
- Use of Solar Magnesium Anodes in High-Resistivity Soil, 4-26

CHEMICAL TREATMENT

- Biodegradable Volatile Corrosion Inhibitors for Offshore and Onshore Installations, 2-48
- Chemical Treatment for a Heavy Crude Oil/Diluent Separation Unit, 1-46
- Corrosion and Water Chemistry Problems in Steam Systems—Root Causes and Solutions, 12-42
- Corrosion Control During Boiler Chemical Cleanings, 1-52

- Corrosion of Low-Carbon Steel in Concentrated Urea-Ammonium Nitrate Fertilizer Solutions, 12-54
- Development and Testing of an Improved Pickling Inhibitor Formulation for Hot 20% Sulfuric Acid, 5-42
- Four-Point Probe Technique to Measure the Efficacy of a VCI, 2-54
- Phorgotten Phenomena: Reduction of Deposition and Corrosion in Cooling Systems, 9-50
- Pipeline Corrosion Under Wet Gas Conditions, 10-48
- Practical Considerations in Establishing Corrosion Monitoring for Upstream Oil and Gas Gathering Systems, 8-50
- Steam Turbine Problems and Their Field Monitoring, 3-48
- The Changing Face of Water Management: A Look to the Future, 7-44
- The Corrosion Inhibitor Availability Model, 6-40
- Water Treatment and Corrosion in Heat Recovery Steam Generators, 11-36
- Wettability—A Major Factor in Oil and Gas System Corrosion, 4-54

COATINGS

- A Composite Sleeve System for Pipeline Repairs, 8-42
- Behavior of Hot-Dip 55% Al-Zn Alloy Coating in Salt Water Containing Hydrogen Sulfide, 5-32
- Bonded Thermoplastic Coating for Ductile Iron Pipe, 7-36
- Coatings for Wineries: Corrosion Protection by Design, 2-36
- Corrosion Protection for Bolting in Marine Environments, 11-28
- Golden Rules of Floor Repair, 3-38
- Good Specifications—The Foundation of a Successful Coating Job, 4-46
- Inspection and Repair of Lake Maracaibo Bridge Suspension Cables, 10-34
- Measuring Adhesion of Coatings to Concrete and Steel, 1-36
- Phorgotten Phenomena: Ambient Condition Effects on Pot Life, Shelf Life, and Recoat Times, 9-42
- Phorgotten Phenomena: Coating Thickness—Some Things to Consider, 6-34
- Phorgotten Phenomena: The Importance of Wetting a Substrate, 2-40
- Plasma Advancement Expands Applications of Fluoropolymer Coatings and Linings, 9-32

2001 *MP* Index

A Guide to *MP* Volume 40 2001 Subject Index

This is an alphabetical list of primary topics included in Volume 40 of *MP*. Subject classifications are followed by issue number, then page number. An alphabetized list of authors appears on p. 77.

ACIDS

- Development and Testing of an Improved Pickling Inhibitor Formulation for Hot 20% Sulfuric Acid, 5-42
- Behavior of Hot-Dip 55% Al-Zn Alloy Coating in Salt Water Containing Hydrogen Sulfide, 5-32

ANODES

See also CATHODIC PROTECTION

- Anodic Protection—Its Operation and Applications, 5-22
- Cathodic Protection Design for 1,900 Miles (3,050 km) of High-Pressure Natural Gas Pipeline, 8-28
- Cathodic Protection Monitoring of Subsea Pipelines in the Arctic Ocean, 4-20
- Cathodic Protection of a Biotreatment Tankage Facility, 2-26
- Cathodic Protection of Steel-Reinforced Concrete Structures—Results from 15 Years' Experience, 12-22
- CP for Corroding Reinforcement in Concrete Floor Elements, 1-22
- Determining CP Current Requirements for Domestic Water Heaters Using Electrochemical Techniques, 3-24
- Use of Solar Magnesium Anodes in High-Resistivity Soil, 4-26

BACTERIA

See MICROBIAL ATTACK

BOILERS

- Corrosion Control During Boiler Chemical Cleanings, 1-52
- Failure Avoidance: Erosion-Corrosion of Evaporator Coils in a Fluidized Bed Boiler, 11-42

CATHODIC AND ANODIC PROTECTION

See also ANODES

- AC Grounding of Cathodically Protected Structures Using Solid-State Decoupling Devices, 2-20
- AC Mitigation Using Shield Wires and Solid-State Decoupling Devices, 8-24
- Anodic Protection—Its Operation and Applications, 5-22
- Buried Permanent Reference Cell Performance Testing—An Engineered Approach to Evaluation, 3-28
- Cathodic Protection Design for 1,900 Miles

(3,050 km) of High-Pressure Natural Gas Pipeline, 8-28

- Cathodic Protection: Looking Back and Moving Forward, 8-18
- Cathodic Protection Monitoring of Subsea Pipelines in the Arctic Ocean, 4-20
- Cathodic Protection of a Biotreatment Tankage Facility, 2-26
- Cathodic Protection of Complex Underground Structures at Power Plants, 11-20
- Cathodic Protection of Steel-Reinforced Concrete Structures—Results from 15 Years' Experience, 12-22
- Cathodic Protection Program of the Aurora, Colorado, Water Division, 7-28
- Corrosion of Ductile Iron Pipe: Case Histories, 7-22
- CP for Corroding Reinforcement in Concrete Floor Elements, 1-22
- Determining CP Current Requirements for Domestic Water Heaters Using Electrochemical Techniques, 3-24
- Electrical Grounding and Cathodic Protection Issues in Large Generating Stations, 11-17
- Embedded Track Rail Boot Electrical Isolation for DC-Powered Rail Transit Systems, 6-18
- Empty Lot Transformed into Hands-On Training Facility, 4-16
- Ensuring Corrosion Control Integrity After 30 Years, 8-34
- Failure Avoidance: Failure of Shoreline Tower Guy Anchor Rods, 10-24
- Measuring Unwanted Alternating Current in Pipe, 1-26
- Practical Telluric Compensation for Pipeline Close-Interval Surveys, 9-22
- The Impact of Lightning on Rectifier Remote Monitoring Systems, 6-22
- Use of Solar Magnesium Anodes in High-Resistivity Soil, 4-26

CHEMICAL TREATMENT

- Biodegradable Volatile Corrosion Inhibitors for Offshore and Onshore Installations, 2-48
- Chemical Treatment for a Heavy Crude Oil/Diluent Separation Unit, 1-46
- Corrosion and Water Chemistry Problems in Steam Systems—Root Causes and Solutions, 12-42
- Corrosion Control During Boiler Chemical Cleanings, 1-52

- Corrosion of Low-Carbon Steel in Concentrated Urea-Ammonium Nitrate Fertilizer Solutions, 12-54
- Development and Testing of an Improved Pickling Inhibitor Formulation for Hot 20% Sulfuric Acid, 5-42
- Four-Point Probe Technique to Measure the Efficacy of a VCI, 2-54
- Phorgotten Phenomena: Reduction of Deposition and Corrosion in Cooling Systems, 9-50
- Pipeline Corrosion Under Wet Gas Conditions, 10-48
- Practical Considerations in Establishing Corrosion Monitoring for Upstream Oil and Gas Gathering Systems, 8-50
- Steam Turbine Problems and Their Field Monitoring, 3-48
- The Changing Face of Water Management: A Look to the Future, 7-44
- The Corrosion Inhibitor Availability Model, 6-40
- Water Treatment and Corrosion in Heat Recovery Steam Generators, 11-36
- Wettability—A Major Factor in Oil and Gas System Corrosion, 4-54

COATINGS

- A Composite Sleeve System for Pipeline Repairs, 8-42
- Behavior of Hot-Dip 55% Al-Zn Alloy Coating in Salt Water Containing Hydrogen Sulfide, 5-32
- Bonded Thermoplastic Coating for Ductile Iron Pipe, 7-36
- Coatings for Wineries: Corrosion Protection by Design, 2-36
- Corrosion Protection for Bolting in Marine Environments, 11-28
- Golden Rules of Floor Repair, 3-38
- Good Specifications—The Foundation of a Successful Coating Job, 4-46
- Inspection and Repair of Lake Maracaibo Bridge Suspension Cables, 10-34
- Measuring Adhesion of Coatings to Concrete and Steel, 1-36
- Phorgotten Phenomena: Ambient Condition Effects on Pot Life, Shelf Life, and Recoat Times, 9-42
- Phorgotten Phenomena: Coating Thickness—Some Things to Consider, 6-34
- Phorgotten Phenomena: The Importance of Wetting a Substrate, 2-40
- Plasma Advancement Expands Applications of Fluoropolymer Coatings and Linings, 9-32

2001 MP Index

A Guide to MP Volume 40

2001 Subject Index

Polyurea Coatings for Offshore Oil Rigs in the Gulf of Mexico, 10-40
 Polyurea Coating—Technology and Uses, 12-34
 Splash Zone Protection on Offshore Platforms—A Norwegian Operator's Experience, 4-40
 Wax Tapes for Removable, Interim Protection of Large Machined Parts, 9-38

CONCRETE

Cathodic Protection of Steel-Reinforced Concrete Structures—Results from 15 Years' Experience, 12-22
 CP for Corroding Reinforcement in Concrete Floor Elements, 1-22
 Golden Rules of Floor Repair, 3-38
 Measuring Adhesion of Coatings to Concrete and Steel, 1-36

FEATURE ARTICLES (VARIOUS SUBJECTS)

Annual Education Supplement, 11-56
 Cathodic Protection: Looking Back and Moving Forward, 8-18
 CORROSION/2001 Plenary Lecture: The Corrosion Professional's Role in a Regulated and Litigious Environment, 5-18
 CORROSION/2001 Advance Program, 2-81
 CORROSION/2001 Recap, 6-61
 CORROSION/2002 Advance Program, 11-A1
 Empty Lot Transformed into Hands-On Training Facility, 4-16
 Fall Committee Week/2001 Advance Program, 7-74
 How to Get Published in 2002 MP, 11-54
 It Pays to Fight Corrosion: 2000 Corrosion Career Survey, 1-16
 NDT Services: Are You Getting What You Need? 3-18
 New Pipeline Integrity Rules: Frequently Asked Questions, 12-18
 NTSB Determines Likely Cause of Pipeline Failure, 9-18
 Nuclear Waste Storage Plan Under Review, 11-14
 U.S. Offshore Industry Awaits FPSO Decision, 10-18
 Waste Water: Doing More with Less, 7-18

GAS

See OIL AND GAS PRODUCTION

HEAT EXCHANGERS

See also BOILERS; POWER PLANTS

Experience with Titanium Heat Exchangers in Refinery Services, 5-56
 Phorgotten Phenomena: Reduction of Deposition and Corrosion in Cooling Systems, 9-50

INHIBITORS

See CHEMICAL TREATMENT

INSPECTION

CORROSION 2001 Plenary Lecture: The Corrosion Professional's Role in a Regulated and Litigious Environment, 5-18
 Failure Avoidance: Creep Failure of Seamless Steel Pipe in a Crude Oil Preheating Furnace, 6-52
 Golden Rules of Industrial Floor Repair, 3-38
 Inspection and Repair of Lake Maracaibo Bridge Suspension Cables, 10-34
 NDT Services: Are You Getting What You Need? 3-18
 Predicting Corrosion Rates and Future Corrosion Severity from In-Line Inspection Data, 8-60

LININGS

A Composite Sleeve System for Pipeline Repairs, 8-42
 Plasma Advancement Expands Applications of Fluoropolymer Coatings and Linings, 9-32

MARINE ENVIRONMENTS

See OFFSHORE STRUCTURES; SEAWATER

MATERIALS SELECTION & DESIGN

Case History: Microbiologically Influenced Corrosion in a Wastewater Treatment Plant, 7-52
 Corrosion of Copper in Tequila at Different Temperatures, 12-50
 Corrosion-Resistant Rockbolts for Underground Structures, 1-60
 Delayed Fracture of Armament Projectile Bodies, 6-48
 Experience With Titanium Heat Exchangers in Refinery Services, 5-56
 Failure Avoidance: Brittle Fracture of a Ductile Flange Material, 4-64
 Failure Avoidance: Corrosion of Chlorination Solution Piping, 1-66
 Failure Avoidance: Creep Failure of Seamless Steel Pipe in a Crude Oil Preheating Furnace, 6-52

Failure Avoidance: Erosion-Corrosion of Evaporator Coils in a Fluidized Bed Boiler, 11-42
 Failure Avoidance: Liquid Metal Embrittlement of a Steam Dump Condenser, 2-68
 High-Strength Corrosion-Resistant Alloy for Seawater Fastener Service, 10-60
 Increase Your Confidence in Corrosion Test Data, 3-58
 Long-Term Leak Monitoring of Two Large Process Vessels, 12-60
 Microbiologically Influenced Corrosion in a Geothermal Electric Power Plant, 11-46
 Phorgotten Phenomena: Rouging—A Discoloration of Stainless Steel Surfaces, 2-64
 Phorgotten Phenomena: Unintended Galvanic Protection and the Consequences of Its Loss, 9-56
 Predicting Corrosion Rates and Future Corrosion Severity from In-Line Inspection Data, 8-60
 Premature Failure of MEA Pump Impellers in a Desalination Plant, 10-56
 Prediction Tools for Sulfidic Corrosion, 5-62
 The Performance of Weathering Steel in Sculpture, 7-58
 Use of High Nickel Alloys in the Petroleum Refining Industry, 5-50

MICROBIAL ATTACK

Case History: Microbiologically Influenced Corrosion in a Wastewater Treatment Plant, 7-52
 Microbiologically Influenced Corrosion in a Geothermal Electric Power Plant, 11-46
 Phorgotten Phenomena: Reduction of Deposition and Corrosion in Cooling Systems, 9-50

OFFSHORE STRUCTURES

See also SEAWATER

Biodegradable Volatile Corrosion Inhibitors for Offshore and Onshore Installations, 2-48
 Cathodic Protection Monitoring of Subsea Pipelines in the Arctic Ocean, 4-20
 Corrosion Protection for Bolting in Marine Environments, 11-28
 Failure Avoidance: Failure of Shoreline Tower Guy Anchor Rods, 10-24
 Polyurea Coatings for Offshore Oil Rigs in the Gulf of Mexico, 10-40
 Splash Zone Protection on Offshore Platforms—A Norwegian Operator's Experience, 4-40
 U.S. Offshore Industry Awaits FPSO Decision, 10-18

2001 *MP* Index

A Guide to *MP* Volume 40 2001 Subject Index

OIL AND GAS PRODUCTION

- Chemical Treatment for a Heavy Crude Oil/
Diluent Separation Unit, 1-46
- Polyurea Coatings for Offshore Oil Rigs in
the Gulf of Mexico, 10-40
- Practical Considerations in Establishing
Corrosion Monitoring for Upstream Oil
and Gas Gathering Systems, 8-50
- Splash Zone Protection on Offshore
Platforms—A Norwegian Operator's
Experience, 4-40
- U.S. Offshore Industry Awaits FPSO
Decision, 10-18
- Wettability—A Major Factor in Oil and Gas
System Corrosion, 4-54

PAINT

See **COATINGS**

PIPELINES

- AC Mitigation Using Shield Wires and
Solid-State Decoupling Devices, 8-24
- A Composite Sleeve System for Pipeline
Repairs, 8-42
- Bonded Thermoplastic Coating for Ductile
Iron Pipe, 7-36
- Cathodic Protection Design for 1,900 Miles
(3,050 km) of High-Pressure Natural Gas
Pipeline, 8-28
- Cathodic Protection Monitoring of Subsea
Pipelines in the Arctic Ocean, 4-20
- Cathodic Protection Program of the Aurora,
Colorado, Water Division, 7-28
- Corrosion of Ductile Iron Pipe: Case
Histories, 7-22
- Empty Lot Transformed into Hands-On
Training Facility, 4-16
- Ensuring Corrosion Control Integrity After
30 Years, 8-34
- Failure Avoidance: Brittle Fracture of a
Ductile Flange Material, 4-64
- Failure Avoidance: Corrosion of
Chlorination Solution Piping, 1-66
- Failure Avoidance: Creep Failure of
Seamless Steel Pipe in a Crude Oil
Preheating Furnace, 6-52
- Measuring Unwanted Alternating Current in
Pipe, 1-26
- NTSB Determines Likely Cause of Pipeline
Failure, 9-18
- Practical Considerations in Establishing
Corrosion Monitoring for Upstream Oil
and Gas Gathering Systems, 8-50
- Practical Telluric Compensation for Pipeline
Close-Interval Surveys, 9-22
- Pipeline Corrosion Under Wet Gas
Conditions, 10-48
- Predicting Corrosion Rates and Future
Corrosion Severity from In-Line
Inspection Data, 8-60

- Use of Solar Magnesium Anodes in High-
Resistivity Soil, 4-26

POWER PLANTS

- Cathodic Protection of Complex
Underground Structures at Power
Plants, 11-20
- Corrosion and Water Chemistry Problems in
Steam Systems—Root Causes and
Solutions, 12-54
- Electrical Grounding and Cathodic
Protection Issues in Large Generating
Stations, 11-17
- Failure Avoidance: Liquid Metal
Embrittlement of a Steam Dump
Condenser, 2-68
- Long-Term Leak Monitoring of Two Large
Process Vessels, 12-60
- Nuclear Waste Storage Plan Under Review,
11-14
- Steam Turbine Problems and Their Field
Monitoring, 3-48
- Water Treatment and Corrosion in Heat
Recovery Steam Generators, 11-36

REBAR

See **CONCRETE**

REFINERIES

- Chemical Treatment for a Heavy Crude Oil/
Diluent Separation Unit, 1-46
- Experience With Titanium Heat Exchangers
in Refinery Services, 5-56
- Failure Avoidance: Creep Failure of
Seamless Steel Pipe in a Crude Oil
Preheating Furnace, 6-52
- Prediction Tools for Sulfidic Corrosion, 5-62
- Use of High Nickel Alloys in the Petroleum
Refining Industry, 5-50

SEAWATER

See also **OFFSHORE
STRUCTURES**

- Behavior of Hot-Dip 55% Al-Zn Alloy
Coating in Saltwater Containing
Hydrogen Sulfide, 5-32
- Biodegradable Volatile Corrosion Inhibitors
for Offshore and Onshore Installations,
2-48
- Cathodic Protection Monitoring of Subsea
Pipelines in the Arctic Ocean, 4-20
- Corrosion Protection for Bolting in Marine
Environments, 11-28
- Failure Avoidance: Failure of Shoreline
Tower Guy Anchor Rods, 10-24
- High-Strength Corrosion-Resistant Alloy for
Seawater Fastener Service, 10-60
- Polyurea Coatings for Offshore Oil Rigs in
the Gulf of Mexico, 10-40

- Splash Zone Protection on Offshore
Platforms—A Norwegian Operator's
Experience, 4-40
- U.S. Offshore Industry Awaits FPSO
Decision, 10-18

TANKS

- Cathodic Protection of a Biotreatment
Tankage Facility, 2-26
- Cathodic Protection Program of the Aurora,
Colorado, Water Division, 7-28
- Empty Lot Transformed into Hands-On
Training Facility, 4-16

WATER AND WASTE WATER

- Bonded Thermoplastic Coating for Ductile
Iron Pipe, 7-36
- Case History: Microbiologically Influenced
Corrosion in a Wastewater Treatment
Plant, 7-52
- Cathodic Protection Program of the Aurora,
Colorado, Water Division, 7-28
- Corrosion of Ductile Iron Pipe: Case
Histories, 7-22
- Determining CP Current Requirements for
Domestic Water Heaters Using
Electrochemical Techniques, 3-24
- Premature Failure of MEA Pump Impellers in
a Desalination Plant, 10-56
- Reduction of Deposition and Corrosion in
Cooling Systems, 9-50
- The Changing Face of Water Management:
A Look to the Future, 7-44
- Waste Water: Doing More with Less, 7-18



For a complete listing of *MP* article titles and authors going back to 1962, see the NACE Web site: www.nace.org. From the home page, click on the KnowledgeBase Link and download the *MP* Lit Index to *Materials Performance*. This index is searchable by subject, author, and year.

2001 MP Index

Author Index

Ahmad, S., 10-56
Al Subai, S.G., 4-64
Amos, G., 2-36
Asrar, N., 4-64
Ault, J.P., 3-28

Baker, K., 5-62
Barber, S.H., 12-60
Basu, S., 7-52
Brown, W.D., 1-66
Büchler, M., 2-54
Buecker, B., 1-52

Carlson, L.E., 8-28
Carreon, A., 12-50
Casillas, B.N., 12-50
Chandler, C., 2-48
Contreras, D., 10-34
Corbett, R.A., 2-64
Cordova, K., 7-28
Cotton, I.J., 9-50, 11-36
Cowin, T.G., 4-20
Cunningham, T., 1-36

Dalglish, A.W., 9-32
De, P.K., 11-42
Dehghanian, C., 3-24
de Rincón, O., 10-34
Desjardins, G., 8-60
Dunyi, Y., 5-32

Efird, K.D., 11-28
Ennis, J.O., 4-20
Esfandiari, M., 3-24

Fan, D., 5-56
Fischer, J., 12-22
Fitzgerald III, J.H., 8-28
Fort III, W.C., 5-56
Francis, R., 2-68
Freedman, A.J., 7-44

Gallagher, W.P., 7-58
Garcia, H., 10-34
Garfias-Mesias, L.F., 2-54
Ghosal, S.K., 11-42
Gonzalez, Ma.C., 11-46
Gonzalez-Alvarez, V., 12-50

Hanafy El-Sayed, M., 10-25
Healiss, T., 2-68
Hedges, B., 6-40
Henningsen, J., 12-34
Hibner, E.L., 10-60
Hier, W., 3-38
Holdsworth, G.S., 9-32
Hollander, O., 12-54
Hong, T., 10-48

Horvath, R.J., 5-56
Huafei, L., 5-32
Hutt, J.W., 2-26

Isecke, B., 12-22

Jacobson, G., 4-16
Jaeger, P., 2-54
Jepson, W.P., 10-48
Jiashen, Z., 5-32
Jonas, O., 3-48, 12-42

Kennedy, C.W., 9-38
Kenworthy, T., 10-34
Kerwien, S.C., 6-48
Kirkpatrick, E.L., 11-17

La Fontaine, J.P., 4-20
Lamb, S., 7-52
Lasarte, C., 10-34
Launey, D., 4-64
Leggedoor, J., 1-22
Lemire, G., 6-22
Lichtenstein, J., 4-46, 6-34, 11-20
Littleton, J.H., 1-16
Lortie, L., 1-60
Lye, R.E., 4-40

MacLeod, F.A., 1-60
Malik, A.U., 10-56
Mancini, J., 3-48
Manian, L., 2-26
Marks, P., 3-18
Martinez, H., 11-46
Martinez-Gomez, L., 11-46
Ma'Ruf, D.I., 8-50
McAuley, J., 7-52
Mietz, J., 12-22
Moccari, A.A., 1-66
Munro, J.I., 5-22

Navarro, A., 10-34
Neill Jr., W.J., 5-50
Nicholas, K., 6-22

Oelker, L., 8-34

Padilla, J., 10-34
Paisley, D., 6-40
Parker, K.T., 4-26
Perdomo, J.J., 1-46
Petrusev, A., 4-26
Pimentel, J.R., 7-36
Pitt, P., 7-52
Place, T.D., 9-22
Polder, R.B., 1-22
Porter, P.C., 8-42
Powell, D.E., 8-50

Prado-Ramirez, R., 12-50
Prakash, T.L., 10-56

Quick, E., 8-42
Quraishi, M.A., 5-42

Rahman, I.Y., 8-50
Rak, G.F., 5-18
Ramirez, M., 1-46
Ramsingh, R.R., 1-60
Rampton, F., 9-38
Rawat, J., 5-42
Revie, R.W., 1-60

Saatchi, A., 3-24
Sachs, N.W., 12-60
Sadek, A.A., 6-52
Salot, W.J., 12-60
Sánchez, M., 10-34
Sarcos, A., 10-34
Schuten, G., 1-22
Shim, W.W., 5-22
Shoemaker, L.E., 10-60
Simpson, D.M., 7-22
Smart III, J.S., 4-54
Sneath, T.O., 9-22
Steele, J., 1-36
Stevens, K., 11-28
Sun, Y.H., 10-48
Swain, W.H., 1-26
Szeliga, M.J., 7-22

Tachick, H., 2-20, 8-24
Tait, W.S., 3-58
Thornley, C., 9-56
Torres-Sanchez, D.R., 11-46

Veazey, M.V., 7-18, 8-18, 9-18,
 10-18, 11-14, 12-18
Viloria, A., 1-46
Vincent, L.D., 2-40, 9-42

Webster, R.D., 8-28
Wetzel, E.A., 6-18
White, N., 7-52
Woollam, R., 6-40

Zaghloul, B., 10-24
Zheng, W., 1-60